



Migration Portal

Release 2.8

User's Guide

Jun 30, 2020

Contents

1	What's New	2
2	Supported Versions	5
3	Using the EDB Migration Portal	6
3.1	Overview of the Migration Portal Home Page	8
3.2	Overview of the Migration Portal Projects Page	9
3.3	Overview of the Migration Portal Wiki Page	11
4	Migrating a Database	12
4.1	Performing a Schema Extraction	13
4.1.1	Supported Object Types	16
4.1.2	Unsupported Object Types	16
4.1.3	Oracle System Schemas	17
4.2	Performing a Schema Assessment	18
4.2.1	Generating an Assessment Report	23
4.3	Schema Migration	26
4.3.1	Migrating a Schema to a CDS cluster	27
4.4	Data Migration	30
5	Advanced Data Migration	31
6	Conclusion	32
	Index	33

EDB Postgres™ Migration Portal (Migration Portal) is a web-based service for migrating Oracle database schemas to the EDB Postgres™ platform. The Migration Portal assesses and analyzes Oracle database schemas and converts types, tables, sequences, constraints, triggers, views, stored procedures, packages, dblinks, materialized views, and indexes, producing DDLs that are compatible with EDB Postgres™ Advanced Server.

The user-friendly portal interface simplifies migration; log on to the portal and start the migration process.

The EDB Postgres™ Migration Portal guide provides a high-level description of the steps involved in the migration process. The guide also includes solutions to common migration problems and details of unsupported features and their potential workarounds.

EnterpriseDB has helped companies migrate their existing database systems to Postgres for years. For more information, visit the EnterpriseDB website at:

<https://www.enterprisedb.com/>

CHAPTER 1

What's New

The following enhancements are added to the EDB Postgres™ Migration Portal for this release:

- The `Project Compatibility` gauge is color-coded to display which projects are the most compatible in a single glance. You can either fix the projects manually that are not fully compatible or contact an EDB representative for help.




Fig. 1: *The Project Compatibility Gauge.*

- Green indicates 100% compatible
- Blue indicates 31% to 99% compatible
- Red indicates 0% to 30% compatible

- If there are any issues while assessing the schemas, you can contact the EDB representative for help. You can click the migrating services email ID in the message box. A draft from the system's default email client will open with a prepopulated subject and body, saving you time drafting the request.




Fig. 2: *Contact an EDB representative.*

- The FAQ page is updated with the latest frequently asked questions. Use the following link to access the FAQ: <https://www.enterprisedb.com/migration-portal-faqs>
- Many changes have been made to the new UI for better user experience.

New Repair Handler

The following repair handler is added to improve the Advance Server compatibility ratio:

- ERH 1012 - Insert Statement Alias:

Removes alias name and the references of the alias name from the INSERT statement inside any PL/SQL block.

For example:

```
CREATE OR REPLACE PROCEDURE REMOVE_ALIAS_TEST (IN_PARAM VARCHAR2)
IS
  V_VAR  NUMBER (12, 0);
BEGIN
  INSERT INTO TABLE_NAME ALIAS_NAME (ALIAS_NAME.ID,
    ALIAS_NAME.NAME)
    VALUES (1,
      'test');
END;
```

would become;

```
CREATE OR REPLACE PROCEDURE REMOVE_ALIAS_TEST (IN_PARAM VARCHAR2)
IS
  V_VAR  NUMBER (12, 0);
BEGIN
```

(continues on next page)

(continued from previous page)

```
INSERT INTO TABLE_NAME (ALIAS_NAME.ID,  
                           NAME)  
VALUES (1,  
        'test');  
END;
```

New Knowledge Base entry

The following is a new knowledge base entry; refer to the Knowledge Base section on the Migration Portal for workaround details:

- **UTL_I18N.STRING_TO_RAW and UTL_I18N.RAW_TO_CHAR package functions:**

In Oracle, `UTL_I18N.STRING_TO_RAW` function is used to convert `VARCHAR2` or `NVARCHAR2` string to another character set and returns the result as `RAW` data and `UTL_I18N.RAW_TO_CHAR` function is used to convert `RAW` data that is not encoded in the database character set into a `VARCHAR2` string. However, in Advanced Server `encode` and `decode` functions are used to convert `VARCHAR2` or `NVARCHAR2` string to `RAW` data and vice-versa.

Supported Versions

The Migration Portal supports assessment and migration from Oracle 11g and 12c to EDB Advanced Server 10, 11, or 12. Migration Portal is supported on the following browsers and operating systems:

Supported Browsers

For the best user experience, we recommend using the Google Chrome browser. Migration Portal is also supported on the following browsers:

Browser	Supported Version
Apple Safari on Macintosh OS	11 and above
Google Chrome	68 and above
Microsoft Edge	42 and above
Mozilla Firefox	60 and above

Supported Operating Systems

Operating Systems	Supported Version
Macintosh	OS X Sierra
Windows	10
Linux	CentOS 7

CHAPTER 3

Using the EDB Migration Portal

The Migration Portal allows you to easily migrate your database schema from Oracle to Advanced Server. You can upload schemas for assessment and get immediate feedback and suggestions. The portal allows you to download assessed DDLs for all objects and create your EDB Postgres™ database on-premises or in the cloud.




Fig. 1: The assessment and migration process

To access the migration portal:

1. Open a browser and navigate to <https://www.enterprisedb.com/>
2. On the EnterpriseDB home page, click Enterprise Postgres > EDB Postgres Migration Portal.




Fig. 2: Accessing the Migration Portal.

3.1 Overview of the Migration Portal Home Page

The Migration Portal home page provides quick access to migration tools.




Fig. 3: The Migration Portal home page.

The Migration Portal home page allows access to the following Migration Portal features:

1. **Projects:** The `Projects` panel displays a list of assessed projects.
2. **Create project:** Click `+ New` (the button located to the right of the `Projects` label) to create a new project.
3. **Overview:** The `Overview` panel provides details about the selected project and displays the compatibility percentage after schema assessment.
4. **Export:** Use the `Export` button to either download an Advanced Server compatible `.sql` file or to migrate a schema to an EDB Cloud Database Services cluster.
5. **Report:** Use the `Report` button to view and download the schema assessment report.
6. **Delete:** Use the `Delete` button to delete a selected project.
7. **Warning sign:** A warning message is displayed if a project or a schema is less than 70% compatible or any DDL doesn't succeed after multiple attempts.
8. **Upload DDL file:** Use the `Upload new schema` button to upload a new or additional DDL file.
9. **Schemas:** The `Schemas` panel displays the assessment result from an uploaded DDL file.
10. **Quick help:** The `Quick help` panel contains all the help guides.
11. **Portal Wiki:** The `Portal Wiki` has links to product information and different help guides.

3.2 Overview of the Migration Portal Projects Page

The Migration Portal Projects page provides detailed information about your migration.




Fig. 4: The Migration Portal Projects Page overview.

Use the following resources to gather information about your migration projects:

1. **Compatible:** The Compatible gauge displays the color on the basis of the compatibility percentage of the assessed schema.
2. **Schema Count:** Displays the number of schemas in a project.
3. **Export:** Use the Export icon to either download the .sql file or to migrate the schema to an *EDB Cloud Database Service* cluster.
4. **Search objects:** Use the Search box to search for objects.
5. **Filters:** You can filter the system repaired and manual repaired objects from the left panel of the Projects page. In addition, you can select one or more filter combinations to refine the information.
6. **Objects:** Displays the objects for the selected schemas.
7. **Common Failures:** Displays the reason for the failed objects for the selected schemas.

Count	Reason for failure	Occurrences
2	only superuser can change options of a file_fdw foreign table	Tables 2
1	column "empno" does not exist	Views 1
1	syntax error at or near "loc"	Views 1
1	relation "hr.emp" does not exist	Materialized View 1

Fig. 5: Common Failures tab

Note: You can download a CSV file for the common failures for the project.

- Schema:** The Schema panel displays the result of the assessment.
- Tooltip:** Hover over a result set to display a tooltip with the number of passed, failed, and repaired objects.
- Quick help:** The Quick help panel displays links to Knowledge base articles and repair handler documentation.
- Search:** Use the Search box to search the Knowledge base entries or repair handler documentation for specific information.

Source

```

1 CREATE OR REPLACE TYPE HR.LEAF_CATEGORY_TYP as
2 object (
3   ToTal VARCHAR2 (4000),
4   member function category_describe return varchar2
5 );
6 /

```

Target

```

1 CREATE OR REPLACE TYPE HR.LEAF_CATEGORY_TYP as
2 object (
3   ToTal VARCHAR2 (4000),
4   member function category_describe return varchar2
5 );
6 /

```

Output: Repaired
Success

Quick help
Knowledge base: Merg
MERGE statement

Fig. 6: Searching the Knowledge Base entry.

3.3 Overview of the Migration Portal Wiki Page

The Portal Wiki page provides quick access to information:

- What's New information
- Quick Start guide
- Migration Data guide
- DDL Extractor guide
- Knowledge Base
- Repair handlers
- Migration Portal User's Guide
- FAQs




Fig. 7: The Migration Portal Wiki page.

Migrating a Database

To migrate a database, you must complete the following steps:

1. Perform a *Schema Extraction*.
2. Perform a *Schema Assessment*.
3. Perform a *Schema Migration*.
4. Perform a *Data Migration*.

The following sections provide detailed information about each step in the migration process.

4.1 Performing a Schema Extraction

Prerequisites

Before extracting a schema, you must download the latest EDB DDL Extractor script from the Migration Portal [Projects](#) page or from the link provided in the DDL Extractor guide in the Portal Wiki. The script can be run in SQL Developer or SQL*Plus. It uses Oracle's DBMS_METADATA built-in package to extract DDLs for different objects under schemas (specified while running the script). The EDB DDL extractor creates the DDL file that will be uploaded to the portal and analyzed for EDB Postgres compatibility.

Note: The *script user* must have CONNECT, RESOURCE and SELECT_CATALOG_ROLE roles.

For SQL*Plus

1. Connect to SQL*Plus and run the command:

```
SQL>@edb_ddl_extractor.sql
```

2. Provide the schema name and the path directory in which the extractor will store the extracted DDL. When extracting multiple schemas, use a comma (',') as a delimiter.

Note: If you want to extract all the user schemas from the current database, do not mention any schema names while extracting. However, it is recommended to mention the schema names that you would like to extract.

3. If you want to extract dependent objects from other schemas, enter yes or no.

For example, on Linux:

```
Enter SCHEMA NAME[S] to extract DDLs:
```

```
HR, SCOTT, FINANCE
```

```
Enter the PATH to store DDL file:
```

```
/home/oracle/extracted_ddls/
```

```
Extract dependent objects from other schemas? (yes/no): yes
```

On Windows:

```
Enter SCHEMA NAME[S] to extract DDLs:
```

```
HR, SCOTT, FINANCE
```

```
Enter the PATH to store DDL file:
```

```
C:\Users\Example\Desktop\
```

```
Extract dependent objects from other schemas? (yes/no): yes
```

For SQL Developer

1. Connect to the SQL server and run the following command:




Fig. 1: Enter the path for Linux or Windows.

2. Enter a comma-separated list of schemas:




Fig. 2: Provide a list of schemas.

3. Enter file path for the output file:




Fig. 3: Specify the output file path.

4. Extract dependent objects from other schemas?(yes/no): yes




Fig. 4: *Extracting dependent objects.*

Note: You can also enter a single schema name in both the SQL*Plus and SQL Developer tools.

5. The script iterates through the object types in the source database and once the task is completed, the .SQL output is stored at the entered location, i.e., `c:\Users\Example\Desktop\`.

Additional Notes

- The EDB DDL Extractor does not extract objects that have names like:

```
BIN$b54+4XIEYwPgUAB/AQBWwA= =$0
```

To extract these objects, you must change the name of the objects and re-run the extraction process.

- DDL Extractor extracts `nologging` tables as normal tables. Once these tables are migrated to Advanced Server, WAL log files will be created.

4.1.1 Supported Object Types

The migration portal supports the migration of the following object types:

- Synonyms
- DB Links
- Types and Type Body
- Sequences
- Tables
- Constraints
- Indexes (Except LOB indexes and indexes on materialized views)
- Views
- Materialized Views
- Triggers
- Functions
- Procedures
- Packages

Note: COMMENTS on Columns, Tables, and Materialized Views are supported.

4.1.2 Unsupported Object Types

- Editions
- Operators
- Schedulers
- LOB indexes and Indexes on Materialized Views
- XML Schemas
- Profiles
- Role and Object Grants
- Tablespaces
- Directories
- Users
- RLS Policy
- Queues

4.1.3 Oracle System Schemas

EDB DDL Extractor script will ignore the following system schemas while extracting from Oracle:

ANONYMOUS	APEX_PUBLIC_USER	APEX_030200
APEX_040000	APEX_040000	APPQOSSYS
AUDSYS	BI	CTXSYS
DMSYS	DBSNMP	DIP
DVF	DVSYS	EXFSYS
FLows_FILES	FLows_020100	GSMADMIN_INTERNAL
GSMCATUSER	GSMUSER	IX
LBACSYS	MDDATA	MDSYS
MGMT_VIEW	OE	OJMSYS
OLAPSYS	ORDPLUGINS	ORDSYS
ORDDATA	OUTLN	ORACLE_OCM
OWBSYS	OWBYSS_AUDIT	PM
RMAN	SH	SI_INFORMTN_SCHEMA
SPATIAL_CSW_ADMIN_USR	SPATIAL_WFS_ADMIN_USR	SYS
SYSBACKUP	SYSDG	SYSKM
SYSTEM SYSMAN	TSMSYS WKPROXY	WKSYS
WK_TEST	WMSYS	XDB
XS\$NULL		

4.2 Performing a Schema Assessment

To assess an Oracle database schema for compatibility with Advanced Server, you must:

1. Navigate to the [Migration Portal](#).
2. Enter your EDB credentials.
3. Click the `CREATE PROJECT` icon to create a new project.

Fig. 5: The Migration Portal New project dialog.

4. On the New project dialog, enter the project name in the Project name field.
5. Specify project details:
 - Select the radio button next to the Application interface.
 - Select a Source DB and Version for the source.
 - Select the Target DB and Version for the target.
6. Click Choose file to upload the .SQL file generated by the latest EDB DDL Extractor for Oracle Database.

Note:

- You should not modify the .SQL file.
- Only the .SQL file generated by the latest EDB DDL Extractor can be uploaded.

For more information, refer to the [Schema Extraction](#) section.

7. Check the box next to Add Index Prefix to specify an index prefix (idx) when creating a project to ensure better assessment results, as Advanced Server does not support the same name for tables and indexes.

8. Click **Create & assess** to create a new project and to assess the schemas.




Fig. 6: The Schema analysis result.

The analysis tool will review every construct and execute repair actions to improve compatibility with Advanced Server, and flag any remaining errors that require manual intervention.

9. Verify the DDL objects (e.g., TABLES) that do not show a 100% success ratio.




Fig. 7: Verifying the DDL objects.

10. Click the objects that are not compatible with EDB Postgres and view the details. At the bottom of the middle panel, you can view repair action details.




Fig. 8: Incompatible objects are identified.

11. Refer to the Knowledge Base information in the right panel to locate the possible workarounds for the objects




Fig. 10: Workaround or resolution for incompatible objects.

Similarly, you can make all the incompatible objects compatible.

Note: If the information or workaround for incompatible objects is not available in the Knowledge Base, please contact the support team for assistance.

When you have finished working with the DDL, you can either download the modified EDB compatible DDL as a .sql file or migrate the schemas *to a CDS cluster*.

4.2.1 Generating an Assessment Report

Migration Portal's report functionality provides a high-level assessment summary of the schemas assessed for your project. In addition, the report provides details about the failed objects and the cause of failure.




Fig. 11: *Select schemas for reports.*

To generate a report:

1. Click the `Report` button to access the schema selection dialog.
2. Select the schemas that you wish to include in the report.
3. Click `Generate` to generate the onscreen report.




Fig. 12: The Schema Assessment Report.

You can optionally select **Generate PDF** to save the report in .pdf format. You can also view the count of distinct repair handlers applied to the DDLs under the selected schemas.




Fig. 13: The saved pdf report.

4.3 Schema Migration

After resolving errors in your schemas, you can use the schemas with a client application such as pgAdmin, ToadEdge, or the PSQL client, or migrate the schema to an EDB Cloud Database Service (CDS) cluster.

Please Note: For more information about using Toad Edge with Advanced Server, see [Toad Edge® for Postgres](#).

Using PSQL or pgAdmin to Deploy a schema

After ensuring that the assessed schema is 100% compatible on Migration Portal, you can perform the following steps to deploy a schema using PSQL or pgAdmin:

1. On the **Project Page**, select the required project.
2. Click **Export** to download the assessed file.




Fig. 14: Selecting download file option

3. Click **Download**.




Fig. 15: Downloading assessed file

4. (For PSQL) Connect to desired Advanced Server using the psql/edb-psql client and run the following command:

```
edb=# \i /exported_ddls_folder/hr_schema/ProjHR_hr.sql
```
5. (For pgAdmin) Connect to the desired database and click **Open**.
6. Upload the schema and click **Run**.

The Advanced Server instance must be installed in Oracle Mode to enable native compatibility with key Oracle capabilities.

4.3.1 Migrating a Schema to a CDS cluster

Perform the following steps to migrate your database to a CDS cluster:

1. On the **Project** page, click **Export**.
2. Select the **Deploy to existing CDS cluster**. Click [here](#) to launch new cluster option.

For information about creating a new cluster, see [Creating a Server Cluster](#).




Fig. 16: Migrating database to CDS cluster.

3. Click **Next**.
4. Select the schemas you wish to migrate.





Fig. 17: Select schemas for migration.

5. Click **Next** to continue.




The image shows the 'Export' dialog box with the 'Connection Details' tab selected. The dialog has three tabs: 'Options', 'Select Schemas', and 'Connection Details'. The 'Connection Details' tab contains the following fields:

- Target database: RHS
- Host name/address: (empty)
- Port: 9999
- Maintenance database: edb
- Username: (empty)
- Password: (masked with dots)

At the bottom, there are three buttons: 'Cancel', 'Previous', and 'Test Connection'.

Fig. 18: Provide connection details.

6. Enter the required details in the Connection Details dialog box.



The image shows the 'Export' dialog box with the 'Connection Details' tab selected, after a successful connection test. The fields are now populated with the following values:

- Target database: RHS (with an 'Edit' icon)
- Host name/address: 52.5.148.59
- Port: 5444
- Maintenance database: (empty)
- Username: (empty)
- Password: (masked with dots)

A green message box displays 'Connection successful.' Below this, a 'Note' box contains the following text:

- Deployment will create a new database RHS on target server, if the database does not exist.
- Ensure that all schemas have a 100% success ratio before deployment.
- Existing schemas with similar names will be dropped during deployment.

At the bottom, there are three buttons: 'Cancel', 'Previous', and 'Deploy'.

Fig. 19: Testing a successful connection.

7. Click Test Connection to verify the connection details.

Note: You can click Edit to make changes to the connection details and retest the connection details.

8. Once the connection is successful, click `Deploy`.
9. You can view the deployment details on the `Deploy` dialog; click `Download Summary` to download the deployment log.




Fig. 20: A successful deployment.

10. Click `Done` to close the window.

4.4 Data Migration

After performing the schema migration, complete the following steps to migrate data:

1. Use EDB Postgres™ Migration Toolkit to migrate the data. For detailed information about using Migration Toolkit, see the [EDB Postgres™ Migration Toolkit Guide](#).
2. Configure the Migration Toolkit `toolkit.properties` file, ensuring that connection information for the source and target databases is available in the property file:

```
SRC_DB_URL = jdbc: oracle:thin:@localhost:1521:ORCL
SRC_DB_USER = user_name
SRC_DB_PASSWORD = password
TARGET_DB_URL= jdbc:edb://localhost:5444/migration
TARGET_DB_USER = enterprisedb
TARGET_DB_PASSWORD = password
```

For more information, see [Building the toolkit.properties File](#).

3. Invoke Migration Toolkit in `-dataOnly` mode; include the `-truncLoad` keyword to resolve foreign key dependencies across tables.

For example, the following command:

```
runMTK.sh -dataOnly -targetSchema hr -truncLoad HR
```

The command migrates the specified `source_schema` to the `target_schema`. The data is loaded into the locally installed EDB Postgres instance with a database superuser named `enterprisedb` and the password of `password`.

Note: The tables are truncated before attempting the data load.

Advanced Data Migration

For larger databases that require a parallel data load, you can use one of the following methods:

- Use the EDB Postgres™ Advanced Server database link feature (for compatibility with Oracle databases).

Or

- Use a Dblink or a database link style migration (if your data contains CLOB data).

For more information, see the [EDB Postgres™ Migration Toolkit Guide](#).

CHAPTER 6

Conclusion

EDB Postgres™ Migration Portal User's Guide

Copyright © 2019 - 2020 EnterpriseDB Corporation. All rights reserved.

EnterpriseDB® Corporation 34 Crosby Drive, Suite 201, Bedford, MA 01730, USA

T +1 781 357 3390 F +1 978 467 1307 E info@enterprisedb.com www.enterprisedb.com

- EnterpriseDB and Postgres Enterprise Manager are registered trademarks of EnterpriseDB Corporation. EDB and EDB Postgres are trademarks of EnterpriseDB Corporation. Oracle is a registered trademark of Oracle, Inc. Other trademarks may be trademarks of their respective owners.
- EDB designs, establishes coding best practices, reviews, and verifies input validation for the logon UI for EDB Postgres products where present. EDB follows the same approach for additional input components, however the nature of the product may require that it accepts freeform SQL, WMI or other strings to be entered and submitted by trusted users for which limited validation is possible. In such cases it is not possible to prevent users from entering incorrect or otherwise dangerous inputs.
- EDB reserves the right to add features to products that accept freeform SQL, WMI or other potentially dangerous inputs from authenticated, trusted users in the future, but will ensure all such features are designed and tested to ensure they provide the minimum possible risk, and where possible, require superuser or equivalent privileges.
- EDB does not warrant that we can or will anticipate all potential threats and therefore our process cannot fully guarantee that all potential vulnerabilities have been addressed or considered.

A

Advanced Data Migration, [31](#)

C

Conclusion, [32](#)

D

Data Migration, [30](#)

K

knowledge base, [10](#), [11](#)

M

Migrating a Database, [12](#)

Migration Portal, [1](#)

Migration Toolkit, [30](#)

O

Overview of the Migration Portal Home
Page, [8](#)

Overview of the Migration Portal
Projects Page, [9](#)

Overview of the Migration Portal Wiki
Page, [11](#)

P

Performing a Schema Assessment, [18](#)

Performing a Schema Extraction, [13](#)

pgAdmin, [26](#)

psql, [26](#)

R

repair handlers, [11](#)

resources, [11](#)

S

schema assessment report, [22](#), [23](#)

schema connection details, [28](#)

Schema Migration, [26](#)

supported browsers, [5](#)

supported databases, [5](#)

supported object types, [15](#), [16](#)

supported operating systems, [5](#)

Supported Versions, [5](#)

T

test schema connection, [28](#)

Toad Edge, [26](#)

U

Using the EDB Migration Portal, [6](#)

W

What's New, [2](#)